

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton , Cabinet Secretary www.dep.wv.gov

Friday, February 23, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ARSENAL RESOURCES LLC 6031 WALLACE ROAD EXTENSION SUITE 603

WEXFORD, PA 15090

Re:

Permit approval for D'ANNUNZIO HCCP-7 207

47-033-05918-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: D'ANNUNZIO HCCP-7 207

Farm Name: A. & B. MANAGEMENT, LLC. U.S. WELL NUMBER: 47-033-05918-00-00

Horizontal 6A / New Drill

Date Issued: 2/23/2018

Promoting a healthy environment.

API Number: 33-05918

### PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 33-059/8

### PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

API NO. 47-033

OPERATOR WELL NO. D'Annunzio HCCP7 207

Well Pad Name: D'Annunzio HCCP7

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

| 1) Well Operator: Arsenal Resources  |            | 494519412  | Harrison                            | Clark        | Clarksburg                             |
|--|------------|--|-------------------------------------|--------------|--|
|  |            | Operator ID  | County                              | District     | Quadrangle                             |
| 2) Operator's Well Number: D'Annunzi   | o HCCP7    | 207 Well Pa  | nd Name: D'A                        | nnunzio HC   | CP7                                    |
| 3) Farm Name/Surface Owner: A&B Mar  | nagement   | , LLC Public Ro  | ad Access: St                       | tate Route 9 | 98                                     |
| 4) Elevation, current ground: 1,117.4  | 0' Ele     | evation, proposed  | l post-construc                     | ction: 1,117 | .80'                                   |
| 5) Well Type (a) Gas X Other   | Oil        | Unc  | lerground Stor                      | rage         |  |
| (b)If Gas Shallow  | Х          | Deep   |                                     |              |  |
| Horizontal   | X          |  |                                     |              | SDW                                    |
| 6) Existing Pad: Yes or No Yes   |            |  |                                     |              | 111615017                              |
| 7) Proposed Target Formation(s), Depth(  |            | • Committee of the comm | and the second of the second of the | Pressure(s): |  |
| Marcellus Shale, 7,249' (TVD Heel) - 7,  | 249' (TVD  | Toe), 100 ft, 0.5  | osi/ft                              |              |  |
| 8) Proposed Total Vertical Depth: 7,24   | 9'         |  |                                     |              |  |
| 9) Formation at Total Vertical Depth:  | /larcellus | Shale  |                                     |              |  |
| 10) Proposed Total Measured Depth: 1   | 5,892.4'   |  |                                     |              |  |
| 11) Proposed Horizontal Leg Length: 7  | ,627.07'   |  |                                     |              |  |
| 12) Approximate Fresh Water Strata Dep   | oths:      | 500'   |                                     |              |  |
| 13) Method to Determine Fresh Water D  | epths: C   | Offsetting wells v   | vater depths                        | (033-04432   | , 033-04488)                           |
| 14) Approximate Saltwater Depths: 250  | 00'        |  |                                     |              |  |
| 15) Approximate Coal Seam Depths: No   | one expe   | cted   |                                     |              |  |
| 16) Approximate Depth to Possible Void   | l (coal mi | ne, karst, other):   | None expect                         | ted          |  |
| 17) Does Proposed well location contain directly overlying or adjacent to an activ |            | ns<br>Yes  | N                                   | 10 X         |  |
|  |            |  |                                     | -            | RECEIVED Gas                           |
| (a) If Yes, provide Mine Info: Name:  Depth:                                       | -          |  |                                     |              | INN 2 2010                             |
| Seam:  | -          |  |                                     |              | WV Department of Environmental Protect |
| Owner  |            |  |                                     |              | Environmental Protos                   |

WW-6B (04/15) API NO. 47- 033 -\_


OPERATOR WELL NO. D'Annunzio HCCP7 207

Well Pad Name: D'Annunzio HCCP7

18)

### CASING AND TUBING PROGRAM

| TYPE         | Size<br>(in) | New<br>or<br>Used | Grade | Weight per ft. (lb/ft) | FOOTAGE: For Drilling (ft) | INTERVALS:<br>Left in Well<br>(ft) | CEMENT:<br>Fill-up<br>(Cu. Ft.)/CTS |
|--------------|--------------|-------------------|-------|------------------------|----------------------------|------------------------------------|-------------------------------------|
| Conductor    | 24           | New               | H-40  | 94                     | 80                         | 80                                 | CTS                                 |
| Fresh Water  | 13.375       | New               | J-55  | 54.5                   | 575                        | 575                                | CTS                                 |
| Coal         |              |                   |       |                        |                            |                                    |                                     |
| Intermediate | 9.625        | New               | J-55  | 40                     | 2,550                      | 2,550                              | CTS                                 |
| Production   | 5.5          | New               | P-110 | 20                     | 15,892                     | 15,892                             | TOC @ 2,400                         |
| Tubing       |              |                   |       |                        |                            |                                    |                                     |
| Liners       |              |                   |       |                        |                            |                                    |                                     |



| TYPE         | Size (in) | Wellbore<br>Diameter (in) | Wall<br>Thickness<br>(in) | Burst Pressure<br>(psi) | Anticipated Max. Internal Pressure (psi) | Cement<br>Type    | Cement<br>Yield<br>(cu. ft./k) |
|--------------|-----------|---------------------------|---------------------------|-------------------------|--|-------------------|--------------------------------|
| Conductor    | 24        | 36                        |                           |                         | 0  | Class A, 3% CaGI2 | 1.2                            |
| Fresh Water  | 13.375    | 17.5                      | 0.38                      | 2,730                   | 900                                      | Class A, 3% CaCl2 | 1.2                            |
| Coal         |           |                           |                           |                         |  |                   |                                |
| Intermediate | 9.625     | 12.25                     | 0.395                     | 3,950                   | 1,500                                    | Class A, 3% CaCl2 | 1.29                           |
| Production   | 5.5       | 8.5-8.75                  | 0.361                     | 12,640                  | 9,500                                    | Class A/50:50 Poz | 1.29/1.34                      |
| Tubing       |           |                           |                           |                         | 5,000                                    |                   |                                |
| Liners       |           |                           | 1                         |                         | N/A                                      |                   |                                |

### **PACKERS**

| Kind:       |                                 |
|-------------|---------------------------------|
| Sizes:      |                                 |
| Depths Set: | RECEIVED<br>Office of Oil and G |
|             | JAN 2 201                       |

WV Department of Environmental Protection WW-6B (10/14) API NO. 47- 033

OPERATOR WELL NO. D'Annunzio HCCP7 207

Well Pad Name: D'Annunzio HCCP7

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24" casing and circulate cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 1/2" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13-3/8" casing and cement to surface. The rig will continue drilling a 12-1/4" intermediate hole to the programmed depth, run 9-5/8" casing and cement to surface. The rig with then continue to drill an 8-3/4" hole to a designed KOP. We will then start drilling the curve and lateral section to the programmed total measured depth, run 5 ½" casing and cement according to the program.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 17.64
- 22) Area to be disturbed for well pad only, less access road (acres): 5.77
- 23) Describe centralizer placement for each casing string:

24"- No centralizers 13 3/8" – one bow spring centralizer on every other joint 9 5/8" – one bow spring centralizer every third joint from TD to surface 5 ½" – one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint to KOP. Every third joint from KOP to 2,650'; there will be no centralizers from 2,650 to surface.

24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13 3/8" casing will be cemented to surface with Class A cement and no greater than 3% CaCl (calcium chloride). The 9 5/8" casing will be cemented to surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented back to 2,400' (+/- 150' above the casing shoe for the 9 5/8") with Type 1 or Class A and 50/50 Poz cement retarded (to extend pumpability) cellophane placed from fluid loss, Bentonite get as an extender (increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insufe the parameters of proper weight to placement and possibly gypsum gas blocking additive to aid in blocking/gas migration (in combination with other additive file). JAN 2 2018 helps cement achieve a "right angle" set) during the plastic phase of the cement set-up.

W Department of

Top holes will be drilled with fresh water to KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a file of the synthetic oil bare had a file of the synthetic oil bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three stands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any, additional hole cleaning efforts will be applied to that section of the well.

\*Note: Attach additional sheets as needed.

### Adkins, Laura L

From: Steve Bechtold <sbechtold@arsenalresources.com>

Sent: Tuesday, February 20, 2018 9:55 AM

To: Eddie Carder; Carolinda Flanagan; Kelly Davis

Cc: Jonathan Brady; Jarrett Toms

Subject: D'Annunzio Coal Issues

#### Hey Eddie,

Jonathan let me know that the state was questioning whether we may hit coal on our D'Annunzio wells. We looked at this in depth at the time of putting our progs together and it looks like our existing pad was built on an old strip mine based on the state coal map website. The coal elevation contours of the Pittsburgh Coal also show to be at 1125' near our D'Annunzio SHLs. Our proposed surfaced elevation is 1117.8', so we should already be below that depth which is why no coal depths were listed on the WW6B forms. This also makes sense with the strip mine status being shown on the states website.

I just wanted to give you a quick explanation, but if you need me to put something together that's more in depth just let me know.

Thanks Steve

### Steve Bechtold

Geologist Arsenal Resources

6031 Wallace Road Ext. Suite 300 Wexford, PA 15090 P: 724.940.1140 C: 724.759.4031



|  | D'A               | nnunzio HCCP7 #207                               |  |  |  |  |
|--|-------------------|--|--|--|--|--|
| CEMENT ADDITIVES on 51/2" Only 20 2/23 |                   |  |  |  |  |  |
| Name Purpose                           |                   |  |  |  |  |  |
| Additive #1:                           | Bentonite         | Helping fluid loss, reducing free water          |  |  |  |  |
| Additive #2:                           | Calcium Chloride  | ide Accelerator for low temp application         |  |  |  |  |
| Additive #3:                           | Celloflake        | Loss circulation additive                        |  |  |  |  |
| Additive #4:                           | Gypsum            | Used for thixotropic properties                  |  |  |  |  |
| Additive #5:                           | Lignosulfonate    | Low temp cement retarder                         |  |  |  |  |
| Additive #6:                           | Naphthalene Based | Used to improve rheological properties of cement |  |  |  |  |
|  | Dispersant        |  |  |  |  |  |
| Additive #7:                           | Cellulose         | Help with fluid loss                             |  |  |  |  |

RECEIVED Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection

### Adkins, Laura L

From:

Eddie Carder <ecarder@arsenalresources.com>

Sent:

Tuesday, February 20, 2018 2:46 PM

To:

Adkins, Laura L

Cc:

Kelly Davis

Subject:

RE: Dannunzio

Attachments:

D'Annunzio Coal Issues; D'Annunzio HCCP 7 - Inspector Approved Final Design -

11-30-2017.pdf; AR\_D'Annunzio 207\_Permit WBD.PDF

Laura,

I have attached an email from Steve Bechtold, one of our Geologists, that explains the reason coals was not listed. It appears our existing pad was built on an old strip mine based on the state coal map website. The coal elevation contours of the Pittsburgh Coal also show to be at 1125' near our D'Annunzio surface hole locations. Our proposed surfaced elevation is 1117.8', so we should already be below that depth which is why no coal depths were listed on the WW6B forms.

I have attached the inspector approved plans for this project.

I have also attached the corrected wellbore diagram showing the same blend that is outlined on the 6B form. Our mine contingency plan is outlined within our site safety plan on page 14, Item 3 under "General Drilling Program". Is this satisfactory or do you need something additional?



On the 6B form, item 24, it outlines the additives that are used on the 5 1/2" string.

We will remind our firms about the 600' limit on the well references.

Let us know if you have any questions or need any additional information. I hope you are feeling better, this has been a bad year for flu and colds.

Thanks,

#### **Eddie Carder**

Permitting Manager Arsenal Resources

65 Professional Place. Suite 200 Bridgeport, WV 26330 P: 724.940.1204

C: 304 629 6309



| ARSE                                 | NAL                             |                  | Arsenal Resour<br>D'Annunzio HCCI<br>Casing Desig | 7 207<br>n   |
|--------------------------------------|---------------------------------|------------------|---|--|
| Other Names:                         | N/A                             |                  | Directional Plan #                                | County: Harrison   |
| Surface Location:                    | TBD                             |                  |   | State: West Virginia   |
| iottom Hole Location:<br>otal Depth; | TBD<br>15,892 MD (ft)           |                  |   | AFE#: XX API#: XX<br>RKB: 27   |
|                                      | 7,249 TVD (ft)                  |                  |   | Ground Level: 1,118  |
| egs                                  | Significant<br>Formations (TVD) | Depth (ft)<br>MD | Depth (ft)<br>TVD                                 | Hole Casing and Mud Directional & Surveys Size Cement Drig /Csg Point  |
| one                                  | Section 1                       |                  | Drive Pipe  |  |
|                                      |                                 | 80               |   | 24" 94# H-40 STC Vertical  |
| one                                  |                                 |                  |   | 17 1/2* (PDC) Floc Water   |
|                                      | Section 2                       |                  | Floc  | Cement: Class A 489 Sacks w/ 38% Excess<br>TOC: Surface (top off if needed)<br>All cement volumes are estimates        |
| nsuible<br>II. after cement job      |                                 | 676              | 575   | 13 3/5" 64.6/ J-65 STC Vertical  |
| lone                                 | Section 3                       |                  | Floc  | 12 1/4" (PDC) Floc Water   |
|                                      |                                 |                  |   | Cement: Class A 678 Sacks w/ 60% Excess<br>TOC; Surface (top off if needed)<br>All cement volumes are estimates        |
| sealble<br>% after cement job        |                                 | 2,55e            | 2,550   | 9 5.8" 404 J-SS LTC Vertical   |
|                                      | Section 4                       |                  | Floc  | Mud Data From Te Floc Water at 2555 Floc Water 2500 7,365 11,5-12,0 ppg SOBM 7,365 11,600                              |
|                                      |                                 |                  |   | Bit Data From To. 17-17' & 12 14" PDC to 2.590 3-34" (PDC) 2.590 A.200 8-12" (PDC) 0.260 A.200 8-12" (PDC) 0.265 A.200 |
|                                      |                                 |                  | 1 1   | Directional Data See Directional Plan  |
|                                      |                                 |                  | ОВМ   |  |
|                                      | Big Lime                        |                  | 1,824   |  |
|                                      | 1st Elk Siltstone               |                  | 4,872   |  |
|                                      | Tully Lime                      |                  | 7,014   |  |
|                                      | Purcell (Limestone)             |                  | 7,221   | Gement: Class At 59/50 POZ   |
|                                      | Lower Marcellus                 |                  | 7,224   | 1.2 ft3/sack +10% Exs in CH = 2534 sacks TGC: 2,400 ft All connect volumes are estimates                               |
|                                      | 15,892 MD<br>7246 TVD           |                  | //  |  |
|                                      |                                 |                  |   | 5 1/2" 20W P-\$10 VAR  |
| evision                              | 1                               |                  | Note: Not drawn to so                             | Seel Assembly in Armulus   |

2 2018



### Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Harrison County, WV prior to hydraulic fracturing at the following ARSENAL RESOURCES wells on the D'Annunzio HCCP7 207 Pad.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,300'TVD) and existing conventional natural gas wells in the partially-depleted, relatively high permeability Marcellus Shale formation (approximately 7,300' TVD).

The plan is being implemented as an additional safety measure to be utilized in conjunction with best management practices and emergency action plans for this site. These additional measures include pre-notification of conventional well operators of the timing and location of the hydraulic fracturing, establishment of measures conventional well operators should implement, and assurance that the Division of Oil and Gas is notified of the timeline, as well as any issues that may arise during fracturing.

### 1. Communications with Conventional Operators.

ARSENAL RESOURCES, using available data (WV Geological Survey, WVDEP Website, and IHS data service), has identified all known conventional wells and well operators within 500 feet of this pad and the lateral sections. A map showing these wells along with a list of the wells and operators is included in Attachment A. Upon approval of this plan, ARSENAL RESOURCES will notify these operators, via letter, of the hydraulic fracturing schedule for these wells. A copy of this letter is included in Attachment B.

The letter provides recommendations to these conventional operators to 1) increase their monitoring of their wells during that time period, 2) ensure that their well head equipment is sound, and 3) provide immediate notification to ARSENAL RESOURCES and the OOG in the event of any changes in their well conditions.

Specifically, the letter recommends that conventional well operators conduct the following activities during and after fracturing operations:

Inspect their surface equipment prior to fracturing to establish integrity and establish pre-Office of Oil and Gas frac well conditions.

2. Observe wells closely during and after fracturing and monitor for abnormal increases in WV Department of Environmental Protection water, gas or pressure.

3. Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.

4. Notify the OOG and ARSENAL RESOURCES if any changes in water, gas production, pressure or other anomalies are identified.

6031 Wallace Road Extension, Suite 300, Wexford, PA 15090 Phone (724) 940-1100 eFax 1-800-428-0981




#### 2. Reporting

ARSENAL RESOURCES will provide information relating to the hydraulic fracturing schedule, communication with conventional operators, and ongoing monitoring of the work upon request of OOG or immediately after any event of any noted abnormalities.

Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection



| Well Name          | API Number | Operator Name / Address    | Well Type     | Latitude  | Longitude  | Total Depth | Perforated Formation(s) | <b>Producing Zones not Perforated</b> |
|--------------------|------------|----------------------------|---------------|-----------|------------|-------------|-------------------------|---------------------------------------|
| D'Annunzio 1HM     | 4703305563 | Arsenal Resources          | Active        | 39.254804 | -80.335771 | 7279        | Marcellus Shale         | NA                                    |
| D'Annunzio 2HM     | 4703305564 | Arsenal Resources          | Active        | 39.254821 | -80.335819 | 7282        | Marcellus Shale         | NA                                    |
| D'Annunzio 3HM     | 4703305565 | Arsenal Resources          | Active        | 39.254838 | -80.335867 | 7264        | Marcellus Shale         | NA                                    |
| D'Annunzio 4HM     | 4703305566 | Arsenal Resources          | Active        | 39.254854 | -80.335916 | 7225        | Marcellus Shale         | NA                                    |
| Malissa E White 1  | 4703373176 | Orphan Well Proj           | Unknown       | 39.252715 | -80.326945 | NA          | NA                      | NA                                    |
| WG Kester 1        | 4703370460 | Grasselli Chemical Company | Unknown       | 39.252291 | -80.327093 | NA          | NA                      | NA                                    |
| Unknown            | 4703337830 | Unknown                    | Unknown       | Unknown   | Unknown    | Unknown     | Unknown                 | Unknown                               |
| Joyce Properties 6 | 4703303550 | Petroleum Development Corp | P&A - 8/31/88 | 39.247187 | -80.324274 | 4861        | NA                      | NA                                    |
|                    |            |                            |               |           |            |             |                         |                                       |
|                    |            |                            |               |           |            |             |                         |                                       |

ADR-ATTACHMENT "A"

States of Oil and Gas

WV Department of Environmental Protection



Click or tap to enter a date.

Grasselli Chemical Company Address State

RE: Click or tap here to enter text.

Dear Sir/Madam.

Arsenal Resources has developed a Marcellus pad D'Annunzio HCCP7 207, located in Harrison County, WV. As an owner or operator of conventional natural gas wells in this area, we are requesting your assistance in this matter.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,300' TVD) and existing conventional natural gas wells included in the attached well list for which you are believed to be the operator.

Arsenal Resources anticipates conducting hydraulic fracturing at the D'Annunzio HCCP7 207 Pad during the Quarter of 2018. We have identified conventional natural gas wells operated by your company within 500' (lateral distance) of our newly planned wells. Plats for each well on this pad are attached.

We recommend that conventional well operators conduct the following activities before, during and after fracturing operations:

- 1. Inspect surface equipment, prior to fracturing, to establish integrity and establish well conditions.
- Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas, or pressure.
- Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.
- Notify the OOG and Arsenal Resources if any changes in water, gas production, pressure or other anomalies are identified.

Please feel free to contact me at 724-940-1224 with any questions or comments. You may also contact the WV Office of Oil and Gas at 304-926-0440.

Sincerely,

Carolinda Flanagan Permitting Specialist

> RECEIVED Office of Oil and Gas

> > IAN 2 2018

WV Department of Environmental Protection

ADR - ATTACHMENT "B'

WW-9 (4/16)

| API Number 47 - 033 | +                       |
|---------------------|-------------------------|
| Operator's Well No  | D. D'Annunzio HCCP7 207 |

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

|   | LUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN   |
|---|---|
| Operator Name_Arsenal Resources   | OP Code 494519412   |
| Watershed (HUC 10) West Fork  | Quadrangle Clarksburg   |
| Do you anticipate using more than : Will a pit be used? Yes   | ,000 bbls of water to complete the proposed well work? Yes V No   |
| If so, please describe antic  |   |
| Will a synthetic liner be us  |   |
| Proposed Disposal Method  | For Treated Pit Wastes:   |
| Land Ap   | For Treated Pit Wastes: SDW Ill6/2017   |
| Undergro  | und Injection ( UIC Permit Number)  |
|   | API Number_VARIOUS  |
| Off Site Other (E   | Disposal (Supply form WW-9 for disposal location)  xplain   |
| Will closed loop system be used? I  | so, describe: Yes, the closed loop system will contain all of the drilling medium and drill cuttings on location and then be taken to a landfill  |
| Drilling medium anticipated for this  | well (vertical and horizontal)? Air, freshwater, oil based, etc. Vertical: Freshwater, Horizontal: Oil based mud  |
| -If oil based, what type? S   | ynthetic, petroleum, etc. Synthetic   |
| Additives to be used in drilling med  | Bentonite, Soap & Polymer Sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime, Barite   |
| Drill cuttings disposal method? Lea   | ve in pit, landfill, removed offsite, etc. Landfill   |
| -If left in pit and plan to so  | idify what medium will be used? (cement, lime, sawdust) N/A   |
| -Landfill or offsite name/p   | ermit number? Advanced Disposal Services & Chestnut Valley Landfill   |
|   | e to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any<br>he notice shall be provided within 24 hours of rejection and the permittee shall also disclose  |
| on August 1, 2005, by the Office of provisions of the permit are enforced law or regulation can lead to enforce I certify under penalty of application form and all attachme obtaining the information, I believe | law that I have personally examined and am familiar with the information submitted on this has thereto and that, based on my inquiry of those individuals immediately responsible for that the information is true, accurate, and complete. I am aware that there are significant ation, including the possibility of line or imprisonment.  **RECEIVED** Office of Oil and Gas** |
| Company Official Title Designated   | 3/11 = = = = = =  |
| Company Official Trice  | WV Department of<br>Environmental Protection  |
|   | , TH  |
| Subscribed and sworn before me th   | s /6 day of NOV. , 20 / 7   |
| Carolindo -   | Notary Public Notary Public   |
| My commission expires 9/15  | 2021 STATE OF WEST VIRGINIA CAROLINDA FLANAGAN PO Box 603 Lumberport WV 26396 My Commission Expires September 15, 2021  |

Field Reviewed?

| Proposed Revegetation Treatm  | nent: Acres Disturbed 17.64  | Prevegetation   | <sub>pH</sub> 6.8 Average  |
|---|--|---|--|
| Lime 2.67   | Tons/acre or to correct to pH  | 6.4   |  |
| Fertilizer type 10-20   | 0-20   |   |  |
| Fertilizer amount_10  | 00It   | os/acre   |  |
| Mulch_ 3-4  | Tons/  | acre  |  |
|   | See  | d Mixtures  |  |
| Ten   | ıporary  |   | nanent   |
| Seed Type   | lbs/acre   | Seed Type   | lbs/acre   |
| Orchard Grass   | 129  | Orchard Grass   | 129  |
| Rye   | 93   | Rye   | 93   |
|   | 0.4  | Clause  | 24   |
| Clover  | 24   | Clover  | 24   |
| Timothy  Attach: Maps(s) of road, location, pit a   | 45 and proposed area for land applict will be land applied, include di   | Timothy  cation (unless engineered plans includes includes and the pit, a   | 45 luding this info have been  |
| Attach: Maps(s) of road, location, pit a provided). If water from the piacreage, of the land application. Photocopied section of involved Plan Approved by:  Re-seed at Re-seed at the section of the land application. | and proposed area for land applicate will be land applied, include din area.  ed 7.5' topographic sheet.  Poublished and mulch all disturbe                  | Timothy  cation (unless engineered plans includes the pit, a line | 45 Iuding this info have been and dimensions (L x W), and a                                  |
| Timothy  Attach: Maps(s) of road, location, pit a provided). If water from the piacreage, of the land application  Photocopied section of involve  Plan Approved by:  Comments:  Re-seed at per regulation. Up          | and proposed area for land applicate will be land applied, include din area.  ed 7.5' topographic sheet.  Powerfund mulch all disturbe grade erosion and see | Timothy eation (unless engineered plans inclinensions (L x W x D) of the pit, a   | luding this info have been and dimensions (L x W), and a asonably possible ares where needed |

(\_\_\_\_\_\_) Yes (\_\_\_\_\_\_\_) No



## SITE SAFETY PLAN

### **D'ANNUNZIO HCCP7 #207 WELL PAD**

### 911 Address:

799 South Bypass Road Nutterfort, WV 26301

> 50W 11/16/2017

> > RECEIVED Office of Oil and Cas

JAN 2 2018

WV Department of Environmental Protection

NATURALLY PRODUCING ROUT STREAM WITHIN

| TRACT | SURFACE DWNER   | TAX PARCEL  | ACRES  |
|-------|---|-------------|--------|
|       | A & B MOVACEMENT LLC                                  | 03-327-17   | 199.03 |
| . 2   | DARLENE MANGUSO ET AL                                 | 04+804-7    | 53.80  |
| 3     | ANTHONY P. & ARIGAN, & STANCH                         | 94-894-62   | 21.00  |
| A     | DARLENE MANDUSO ET AL                                 | D1-327-27   | 72.573 |
| 16    | COSEPPL SAMULL MAZZE                                  | 01-327-28.4 | 5.30   |
| -0-   | CHARGES B & LEDE HALL                                 | D1-327-26.1 | 2.00   |
|       | CHARLES B & LILE HALL                                 | 01-327-28   | 1.27   |
| - 6   | ADUSTIN ASTACIO                                       | 01-327-28.3 | 4.00   |
| 0     | NICOLE VICLANCO HOMANO & HOSERT & VIGLANCO            | 04-347-17.2 | 3.40   |
| 10    | DALE BROWN  | 04-347-173  | .0.57  |
|       | ROBERT MICURALD                                       | 04-347-57   | 78.72  |
|       | ROBERT N. FREIL PT 1                                  | D1=347=16   | 7.57   |
| 4.5   | MY CIVISION OF MATURIE RESOURCES (WEDLEY RESOURCES)   | D1-347-35   | 378.32 |
| 14.   | WY DIVISION OF MEDICAL RESOURCES (WILDLIFE RESOURCES) | 01=347=99   | 7.75   |
| 15    | JOHN F. & TEAR LYNN DROSS                             | 01-347-55.5 | 12.12  |
| 16.   | 2005 AME  | D5-347-55 t | 24.08  |

I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.

N 54'35'54" E 2374.34 S 83'26'17" € 525.87 207 A 300432 Q 21976 UNNA C ROBEY 01-547-10 第31975 13772-12 (3) 4523 2 MAIN WEAR NO ₩ -55-73774 英46 REFERENCES 2879-02 MCHULF IN MATERIAL STATE OF THE PROPERTY OF TH EXISTING WELLS WITHIN 3,000' 於100 3000 3625111 +602 T 3185 A 11179 並73178 £24432 \*\*\*\*\*\* 11976 #\* 4521 # SYONAL SUR SONAL SUNDIN 2000 0 2000 GRAPHIC SCALE IN FEET

(+) DENOTES LOCATION OF WELL ON MINIMUM
UNITED STATES TOPOGRAPHIC MAPS UNITED STATES TOPOGRAPHIC MAPS

ACCURACY: 1/200 PROVEN SURVEY SOURCE OF GRADE GPS

ELEVATION: (NAVD 88, US FT)

DEEP

OPERATOR'S WELL #:

D'ANNUNZIO HCCP-7

API WELL #: 47

05918 HOA 33 COUNTY PERMIT

WELL TYPE: OIL

P.S. 2270

CHARLESTON, WV 25034 WASTE DISPOSAL

OFFICE OF OIL & GAS 601 57TH STREET

PRODUCTION

GAS X

STATE LIQUID INJECTION

STORAGE ELEVATION: 1117.8' (DESIGN)

QUADRANGLE: CLARKSBURG/MOUNT CLARE

SHALLOW X

80.

WATERSHED: WEST FORK

DISTRICT: CLARK-CLARKSBURG CORP COUNTY: HARRISON A. & B. MANAGEMENT, LLC. A. & B. MANAGEMENT, LLC.

ACREAGE: 199.03 ACREAGE: 199.03

DRILLX

SURFACE OWNER:

DRILL DEEPER REDRILL FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION

DESIGNATED AGENT: WILLIAM VEIGEL

PERFORATE NEW FORMATION

CONVERT

CITY: WEXFORD

PLUG & ABANDON

CLEAN OUT & REPLUC

OTHER CHANGE (SPECIFY)

TARGET FORMATION: MARCELLUS

OIL & GAS ROYALTY OWNER:

ESTIMATED DEPTH: 7,249 TVD 15,900 TMD

WELL OPERATOR: ARSENAL RESOURCES ADDRESS: 6031 WALLACE ROAD EXTENSION #300

STATE: PA ZIP CODE:

BRIDGEPORT


REVISIONS:

ADDRESS: 65 PROFESSIONAL PLACE, SUITE 200 ZIP CODE: STATE: WV

LEGEND: PROPOSED SURFACE HOLE / HOTTOM HOLE EXISTING / PRODUCING WELLHEAD LANDING POINT LOCATION EXISTING WATER WELL EXISTING SPRING

SURVEYED BOUNDA - DRILLING UNIT - PROPOSED PATH

DATE: 12-7-2017 SCALE: 1" = 2000'
DRAWING NO: 030-3
WELL LOCATION PLA



WW-6A1 (5/13)

| Operator's Well No. | D'Annunzio HCCP7 207 |
|---------------------|----------------------|
|---------------------|----------------------|

### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached

### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- · WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Arsenal Resources

By:

William Veigel

Its:

Designated Agent

Walls U

### Attachment to WW-6A1, D'Annunzio 207

| etter Designation/Number<br>Designation on Plat | Grantor, Lessor, Assignor, etc.                                    | Grantee, Lessee, Assignee, etc. | Royalty | Book/Page | Acreage |
|---|--|---------------------------------|---------|-----------|---------|
| 1 (00004630)                                    | Maud Lee Quinn, a married person,<br>and signing in her sole right | PDC Mountaineer, LLC            | 0.175   | 1456/1018 | 247.5   |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |
| 1 (00004632)                                    | A & B Management, LLC  | PDC Mountaineer, LLC            | 0.175   | 1455/173  | 233     |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |
| 1 (00004636)                                    | Rebecca Ann Jarvis, a widow  | XTO Energy, Inc.                | 0.125   | 1438/1202 | 199.03  |
|   | XTO Energy, Inc.   | PDC Mountaineer, LLC            |         | 1479/880  |         |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |
| 2 (00004540)                                    | Darlene Mancuso and Anthony J.<br>Mancuso, her husband             | PDC Mountaineer, LLC            | 0.175   | 1451/149  | 53.89   |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |
| 2 (00004541)                                    | Joretta F. Wood and Bill B. Wood,<br>her husband                   | PDC Mountaineer, LLC            | 0.175   | 1451/114  | 53.89   |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |
| 2 (00004542)                                    | Jacqueline C. Aylestock and Ronald L.  Aylestock, her husband      | PDC Mountaineer, LLC            | 0.175   | 1451/139  | 53.89   |
|   | ्रें प्र<br>प्राण्डि PDC Mountaineer, LLC                          | River Ridge Energy, LLC         |         | 59/1263   |         |
| 2 (00004545) 공학                                 | ତ୍ୟୁ Richard White and Patricia K. White,                          | PDC Mountaineer, LLC            | 0.175   | 1451/119  | 53.89   |
| tof   | PDC Mountaineer, LLC   | River Ridge Energy, LLC         |         | 59/1263   |         |

00

| 2 (00004546)  | Mary L. Hughes   | PDC Mountaineer, LLC              | 0.175   | 1451/154                                   | 53.89  |
|---|--|-----------------------------------|---------|--|--------|
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 3 (00004518)  | The Board of Education of the<br>County of Harrison                      | PDC Mountaineer, LLC              | 0.135   | 1449/1133, 1488/1207,<br>1539/536, 1579/25 | 28.66  |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 4 (00004532)  | Darlene Mancuso and Anthony J.<br>Mancuso, her husband                   | PDC Mountaineer, LLC              | 0.175   | 1451/129                                   | 72.573 |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 4 (00004533)  | Joretta F. Wood and Bill B. Wood,<br>her husband                         | PDC Mountaineer, LLC              | 0.175   | 1451/99                                    | 72.573 |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 4 (00004534)  | Jacqueline C. Aylestock and Ronald L.<br>Aylestock, her husband          | PDC Mountaineer, LLC              | 0.175   | 1451/104                                   | 72.573 |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           | <u></u> | 59/1263                                    |        |
| 4 (00004537)  | Richard White and Patricia K. White,<br>his wife                         | PDC Mountaineer, LLC              | 0.175   | 1451/89                                    | 72.573 |
| wg  | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 4 (00004538)  | Mary L. Hughes   | PDC Mountaineer, LLC              | 0.175   | 1451/124                                   | 72.573 |
|   | PDC Mountaineer, LLC   | River Ridge Energy, LLC           |         | 59/1263                                    |        |
| 5, 6, 7, 8, 9 (00007238)                            | Pamela M. Palmer Emch, married dealing in her sole and separate property | Mar Key, LLC                      | 0.15    | 1580/326                                   | 19.35  |
| 5, 6, 7, 8, 9 (00007257)                            | David Scott Palmer, married  | Mar Key, LLC                      | 0.15    | 1580/332                                   | 19.35  |
| 6, 7, 8, 9, 10, 11, 12 (00003682)                   | Kathleen Nutter and Orian Nutter,<br>her husband                         | Petroleum Development Corporation | 0.125   | 1246/633                                   | 154    |
| JAN WV Dep  | Petroleum Development Corporation  | PDC Mountaineer, LLC              |         | 1440/364                                   |        |
| JAN 2 2018  WV Department of vironmental Protection |  |                                   |         |  |        |

|  |  |                                      | 1     |           |        |
|--|--|--------------------------------------|-------|-----------|--------|
|  | PDC Mountaineer, LLC   | River Ridge Energy, LLC              |       | 59/1263   |        |
| 10 (00007851)  | Robert M. Viglianco, a single man  | Mar Key, LLC                         | 0.15  | 1597/1165 | 3.4    |
| 10 (00007852)  | Nicole Viglianco Romano, a married<br>woman dealing in her sole and<br>separate property | Mar Key, LLC                         | 0.15  | 1597/1163 | 3.4    |
| 12 (00003691)  | Skyhawk Development Corporation  | Petroleum Development Corporation    | 0.125 | 1246/241  | 81.24  |
|  | Petroleum Development Corporation  | PDC Mountaineer, LLC                 |       | 1440/364  |        |
|  | PDC Mountaineer, LLC   | River Ridge Energy, LLC              |       | 59/1263   |        |
| 13 (00007250)  | John Henry McWhorter, divorced   | Mar Key, LLC                         | 0.15  | 1580/320  | 4.169  |
| 13 (00007251)  | Mary Jane Lewis a/k/a Jane Lewis,<br>widow   | Mar Key, LLC                         | 0.15  | 1580/323  | 4.169  |
| 13 (00007234)  | Robert N. Phillips II, married   | Mar Key, LLC                         | 0.15  | 1578/1066 | 1.32   |
| 13 (00007260)  | Mary Hall Balmer a/k/a Mary Jean<br>McWhorter Balmer, divorced                           | Mar Key, LLC                         | 0.15  | 1582/330  | 4.169  |
| 13 (00007933)  | Gregory Scott McWhorter, single  | Mar Key, LLC                         | 0.125 | 1600/831  | 4.169  |
| 13 (00007935)  | Daphne Lynn McWhorter, single  | Mar Key, LLC                         | 0.125 | 1600/829  | 4.169  |
| 13 (00007936)  | Donald R. Reynolds, married dealing in his sole and separate property                    | Mar Key, LLC                         | 0.15  | 1600/835  | 4.169  |
| 14, 15, 16, 17 (00007775)  | Paul S. Horner   | PPG Industries, Inc.                 | 0.125 | 954/739   | 465.06 |
|  | PPG Industries, Inc.   | White Shield Oil and Gas Corporation |       | 1005/298  |        |
| HECENTED Cas<br>PECON and Cas<br>JAN<br>JAN<br>JAN<br>Department of John<br>My Departal Protection | White Shield Oil and Gas Corporation   | Partnership Properties Co.           |       | 1019/416  |        |

| _ |  |
|---|--|
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |

1124/449

59/832

1495/314

2/914

1524/620

1586/1196

Partnership Properties Co.

**Eastern American Energy** 

Corporation

**Energy Corporation of America** 

Antero Resources Appalachian Corporation

**Energy Corporation of America** 

**Antero Resources Corporation** 

Eastern American Energy Corporation

**Energy Corporation of America** 

Antero Resources Appalachian

Corporation

**Antero Resources Corporation** 

**Antero Resources Corporation** 

River Ridge Energy, LLC f/k/a PDC

Mountaineer, LLC

### Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC Holdings"), is effective as of October 15, 2014. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by PDC or PDC Holdings from time to time as directed by PDC or PDC Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

Office of Oil and Gas

Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection

IN WITNESS WHEREOF, Mountaineer Kcystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

MOUNTAINEER KEYSTONE LLC

Name: Loke 1 Kgel

Title: CEO

PDC MOUNTAINEER, LLC

Name: 24 Karl

Title: CEO

PDC MOUNTAINEER HOLDINGS, LLC

Name: Rhat Ker!

Title: CEO

RECEIVED Gas
Office of Oil and Gas

JAN 2 2018

WY Department of the control of t

### Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge Holdings"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017. (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

RECEIVED
- Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

### ARSENAL RESOURCES LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE ENERGY, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE HOLDINGS, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RECEIVED Office of Oil and Gas

JAN 2 2018

WV Depa truarico Environmental Protection

Page 1 of 3

### West Virginia Secretary of State — Online Data Services

### **Business and Licensing**

Online Data Services Help

### **Business Organization Detail**

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

### **MAR KEY LLC**

| Organiza                                 | ation Info        | rmation             |                |          |        |             |                     |                       |
|--|-------------------|---------------------|----------------|----------|--------|-------------|---------------------|-----------------------|
| Org Type                                 | Effective<br>Date | Established<br>Date | Filing<br>Date | Charter  | Class  | Sec<br>Type | Termination<br>Date | Termination<br>Reason |
| LLC  <br>Limited<br>Liability<br>Company | 7/11/2011         |                     | 7/11/2011      | Domestic | Profit |             |                     |                       |

| Business<br>Purpose      | 2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction | Capital<br>Stock  |       |                |                         |
|--------------------------|--|-------------------|-------|----------------|-------------------------|
| Charter<br>County        |  | Control<br>Number | 99Q1F |                |                         |
| Charter<br>State         | w  | Excess<br>Acres   |       |                |                         |
| At Will<br>Term          | Α  | Member<br>Managed | MBR   |                |                         |
| At Will<br>Term<br>Years |  | Par Value         |       | RE<br>Office o | CEIVED<br>f Oil and Gas |

Page 2 of 3

| Authorized<br>Shares |  |
|----------------------|--|
|                      |  |

| Addresses                    |  |         |
|------------------------------|--|---------|
| Туре                         | Address  |         |
| Designated Office<br>Address | 65 PROFESSIONAL PLACE<br>SUITE 200<br>BRIDGEPORT, WV, 26330                        |         |
| Mailing Address              | 6031 WALLACE ROAD EXTENSION<br>SUITE 300<br>WEXFORD, PA, 15090<br>USA              |         |
| Notice of Process<br>Address | CORPORATION SERVICE COMPANY<br>209 WEST WASHINGTON STREET<br>CHARLESTON, WV, 25302 |         |
| Principal Office<br>Address  | 6031 WALLACE ROAD EXTENSION<br>SUITE 300<br>WEXFORD, PA, 15090<br>USA              |         |
| Туре                         | Address  | • • • • |

| Officers  |  |
|-----------|--|
| Туре      | Name/Address   |
| Member    | ARSENAL RESOURCES ENERGY LLC<br>6031 WALLACE ROAD EXTENSION<br>SUITE 300<br>WEXFORD, PA, 15090 |
| Organizer | PAUL M HERZING<br>560 EPSILON DR.<br>PITTSBURGH, PA, 15238<br>USA                              |
| Туре      | Name/Address   |

|                | RECEVED<br>Office of Oil and Gas             |
|----------------|--|
| Annual Reports | JAN 2 2018                                   |
| Date filed     | WV Department of<br>Environmental Protection |
|                | Environmental Protection                     |

Page 3 of 3

| 3/30/2017  |   |   |      |
|------------|---|---|------|
| 6/20/2016  | • |   |      |
| 6/30/2015  |   |   |      |
| 4/28/2014  |   |   |      |
| 6/28/2013  |   | - |      |
| 5/8/2012   | - |   | <br> |
| Date filed |   |   | <br> |

For more information, please contact the Secretary of State's Office at 304-558-8000.

Tuesday, November 28, 2017 — 9:44 AM

© 2017 State of West Virginia

Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection



People Powered, Asset Strong.

November 29, 2017

Mr. James Martin, Chief of Oil and Gas West Virginia Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

RE: Ownership of Roadways - D'Annunzio HCCP-7 Unit (Wells 205, 206, and 207)

Mr. Martin:

In preparation of filing permit applications for the above referenced wells, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by wells in the proposed unit. The findings of the title examination show that the roadways crossed by wells in the proposed unit are rights-of-way, with the oil and gas being owned and covered by the leaseholds provided in the application materials.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely,

Jonathan B. Bompiani

Senior Title Attorney

Jonather B. Bengin

WW-6AC (1/12)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

| Date of Notic   | ce Certification: 12/28/1   | 7 APIN   | No. 47-033 -   | 05918  |
|---|---|--|--|--|
|   |   |  | tor's Well No. D'An  |  |
|   |   |  | Pad Name: D'Annur  |  |
| Notice has l  | neen given:   |  |  | -  |
|   |   | e § 22-6A, the Operator has provided the               | he required parties v  | with the Notice Forms listed   |
|   | tract of land as follows:   | e 3 22 or i, the operator has provided in              | ne requires parties .  | and the resident came instead  |
| State:  | West Virginia   | Eastin   | ng: 557,274.411  |  |
| County:   | Harrison  | UTM NAD 83 North                                       |  |  |
| District:   | Clark   | Public Road Access:                                    | State Route 98   |  |
| Quadrangle:   | Clarksburg  | Generally used farm nar                                | me: A&B Managemen  | nt, LLC  |
| Watershed:  | West Fork   |  |  |  |
| information r of giving the requirements Virginia Cod of this article  Pursuant to that the Ope | equired by subsections (b) and (c),<br>surface owner notice of entry to<br>of subsection (b), section sixteen<br>e § 22-6A-11(b), the applicant shal<br>have been completed by the applic | Operator has attached proof to this Not                | the requirement was<br>ction ten of this arti<br>g by the surface over<br>tary that the notice | deemed satisfied as a resultle six-a; or (iii) the notice wher; and Pursuant to West requirements of section terms of the coordinate of th |
| TELEMOLECTI   | ECK ALL HIAT AFFLT  |  |  | ONLY   |
| ☐ 1. NO   | TICE OF SEISMIC ACTIVITY  | SEISMIC ACTIVITY WAS CON                               |  | ☐ RECEIVED/<br>NOT REQUIRED  |
| ■ 2. NO   | TICE OF ENTRY FOR PLAT SUI  | RVEY or D NO PLAT SURVEY WA                            | AS CONDUCTED   | ☐ RECEIVED   |
| ☐ 3. NO   | TICE OF INTENT TO DRILL of  | r I NOTICE NOT REQUIRED B                              | ECAUSE   |  |
|   | HEL OF INTENT TO DRIEL  | NOTICE OF ENTRY FOR PLAT WAS CONDUCTED or              |  | RECEIVED/<br>NOT REQUIRED  |
|   | HEL OF INTENT TO DRIEL  |  | SURVEY   |  |
| ■ 4. NO   | TICE OF PLANNED OPERATION   | WAS CONDUCTED or  WRITTEN WAIVER BY SU (PLEASE ATTACH) | SURVEY   |  |
|   |   | WAS CONDUCTED or  WRITTEN WAIVER BY SU (PLEASE ATTACH) | SURVEY   | NOT REQUIRED   |

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code \$ 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal vervice, the return receipt card or other postal receipt for certified mailing.

W/ Departs ent of W/ Departs ent of Environmental Protection

WW-6AC (1/12)

#### Certification of Notice is hereby given:

THEREFORE, I William Veigel , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Arsenal Resources

By:

William Veigel

Its: Telephone: Designated Agent

724-940-1224

Address:

6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: 304-848-9134

Email:

cflanagan@arsenalresources.com

OFFICIAL SEAL **NOTARY PUBLIC** STATE OF WEST VIRGINIA CAROLINDA FLANAGAN PO Box 603 Lumberport WV 26386 My Commission Expires September 15, 2021 Subscribed and sworn before me this 28

day of DEC. 2017

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas 2 2018

Aut Dabstit sut of Environmental Protection WW-6A (9-13)

### 4703305918

API NO. 47-\_\_\_ OPERATOR WELL NO. D'Annunzio HCCP7 207
Well Pad Name: D'Annunzio HCCP7

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 12/28/17 Date Permit Application Filed: 12/28/17 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED ✓ METHOD OF DELIVERY THAT REQUIRES A ☐ PERSONAL SERVICE MAIL. RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the crosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: COAL OWNER OR LESSEE SURFACE OWNER(s) Name: A & B Management, LLC Name: Lyonsouth, LLC Address: P.O. Box 6698 Address: 894 Van Buren Street Clarksburg, WV 26301 Clarksburg, WV 26301 COAL OPERATOR Name: Address: Name: Address: SURFACE OWNER(s) (Road and/or Other Disturbance) M SURFACE OWNER OF WATER WELL Name: Lyonsouth, LLC Address: P.O. Box 6698 AND/OR WATER PURVEYOR(s) Name: See Attached Clarksburg, WV 26301 Name: A & B Management, LLC Address: Address: 894 Van Buren Street □ OPERATOR OF ANY NATURAL GAS STORAGE FIELD Clarksburg, WV 26301 ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: RECEIVED Office of Oil and Gas Address: \_ \*Please attach additional forms if necessary JAN 2 2018

> WV Department of Environmental Protection

WW-6A (8-13) APINO.47-

OPERATOR WELL NO. D'Annuozio HCCP7 207
Well Pad Name: D'Annuozio HCCP7

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include; (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Gas Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-2">www.dep.wv.gov/oil-2</a> 2018 and-gas/pages/default.aspx.

#### Well Location Restrictions

WV Department of Environmental Protection rom any existing

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred (wenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

8105 g MAL

WW-6A (8-13)

API NO. 47-OPERATOR WELL NO. D'Annunzio HCCP7 207 Well Pad Name: D'Annunzio HCCP7

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

#### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas

Office of Oil and Gas

Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450

W Department of Environmental Protection Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) 47 0 3 3 0 5 9 1 8 APINO 47-

OPERATOR WELL NO. D'Annunzio HCCP7 207
Well Pad Name: D'Annunzio HCCP7

### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection

4703305918

WW-6A (8-13)

Notice is hereby given by: Well Operator: Arsenal Resources

Telephone: 724-940-1224

Email: cflanagan@arsenalresources.com

API NO. 47OPERATOR WELL NO. D'Annunzio HCCP7 207
Well Pad Name: D'Annunzio HCCP7

Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: 304-848-9134

### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyofficer@wv.gov">depprivacyofficer@wv.gov</a>.

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
CAROLINDA FLANAGAN
PO Box 603
Lumberport W 26366
My Commission Expires September 15, 2021

Subscribed and sworn before me this 28<sup>TH</sup> day of DEC 2017

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

IAN 2 2018

Wir Department of Environmental Protection

# Arsenal Resources D'Annunzio HCCP7 Pad Notice of Application (Attachment)

# Drill Site - Surface Owner (s):

A & B Management, LLC. 894 Van Buren Street Clarksburg, WV 26301

# Road and/or Other Disturbance - Surface Owner (s):

Lyonsouth, LLC (47-033-04-204-26.1, 47-033-03-327-11.2 & 47-033-04-804-1)
P.O. Box 6698
Clarksburg, WV 26301

A & B Management, LLC. (47-033-03-327-17) 894 Van Buren Street Clarksburg, WV 26301

# Coal Owner or Lessee:

Lyonsouth, LLC (Pittsburgh Coal Seam) P.O. Box 6698 Clarksburg, WV 26301

# Water Purveyors:

A & B Management, LLC. 894 Van Buren Street Clarksburg, WV 26301

Darlene Mancuso etal 365 Dye Drive Bridgeport, WV 26330

James M. & Judith Echard Wolfe 201 Maryland Avenue
Nutter Fort, WV 26301

Roger & Betty Phillips 1174 Nutter Run Road Nutter Fort, WV 26301 Office of Oil and Gas

JAN 2 2018

Not Department of Environmental Protection


# Arsenal Resources D'Annunzio HCCP7 Pad Notice of Application (Attachment)

# Water Purveyors (continued):

Scott and/or Michael Robey c/o Lana C. Robey / 414 Nutter Run Road
Nutter Fort, WV 26301

Mark Skasik 936 Nutter Run Road Nutter Fort, WV 26301





WW-6A3 (1/12)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

| entry  | Requirement: Notice shan be prov   | rided at least SEVEN (7) days but no more  | than FORTY-FIVE (  | 45) days prior to   |                |  |  |
|--|--|--|--|---|----------------|--|--|
| Date of Notic  | ce: 08/14/2017 Date of Plan  | nned Entry: 08/21/2017   |  |   |                |  |  |
| Delivery met   | thod pursuant to West Virginia C   | ode § 22-6A-10a  |  |   |                |  |  |
| ☐ PERSO  | NAL REGISTERED   | ■ METHOD OF DELIVERY THAT  | THOD OF DELIVERY THAT REQUIRES A   |   |                |  |  |
| SERVIC   |  | RECEIPT OR SIGNATURE CON   |  |   |                |  |  |
| on to the surf<br>but no more t<br>beneath such<br>owner of min<br>and Sediment<br>Secretary, wh<br>enable the sur | han forty-five days prior to such en-<br>tract that has filed a declaration pur-<br>erals underlying such tract in the co-<br>tract Control Manual and the statutes an-<br>tich statement shall include contact<br>rface owner to obtain copies from the | Prior to filing a permit application, the oper<br>s required pursuant to this article. Such not<br>try to: (1) The surface owner of such tract;<br>suant to section thirty-six, article six, chapt<br>unty tax records. The notice shall include<br>d rules related to oil and gas exploration are<br>information, including the address for a we<br>be secretary. | ice shall be provided a (2) to any owner or lester twenty-two of this castatement that copies and production may be contacted. | t least seven days<br>see of coal seams<br>code; and (3) any<br>s of the state Erosion<br>obtained from the |                |  |  |
| Notice is her  | eby provided to:   |  |  |   |                |  |  |
| ■ SURFA  | CE OWNER(s)  | COAL OWNER OR  | LESSEE   |   |                |  |  |
| Name: A&B Ma   | inagement, Inc.  | Name: Lyonsouth, LLC   |  |   |                |  |  |
| Address: 694   |  | Address: P.O. Box 6698   |  | _ /   |                |  |  |
| Clarksburg, WV 2   | 6301   | Clarksburg, WV 26301   |  | 5 1   |                |  |  |
| Name: Lyonson  |  |  |  |   |                |  |  |
| Address: P.O.  | Box 6698   | ■ MINERAL OWNER  | R(s)   |   |                |  |  |
| Clarksburg, WV 26  | 3301   | Name: See Attached   |  |   |                |  |  |
| Name:  |  | Address:   |  |   |                |  |  |
| Address:   |  | *please attach additional forms  |  | 3   |                |  |  |
|  |  | notice is hereby given that the undersigned  Approx. Latitude & Longitu  |  |   |                |  |  |
| County:  | Harrison   | Public Road Access:  | State Route 98   |   | 200            |  |  |
|  |  |  | 5.777 V.2 No. 1  |   |                |  |  |
| District:  | Clark  | Watershed:   | West Fork  |   | _              |  |  |
| District:<br>Quadrangle:   | Clark Clarksburg   | Watershed: Generally used farm name:   | West Fork  A&B Management, Inc.  |   | -6<br>-0.1     |  |  |
| Quadrangle:<br>Copies of the<br>may be obtain<br>Charleston, V   | state Erosion and Sediment Controlled from the Secretary, at the WV IVV 25304 (304-926-0450). Copies   |  | A&B Management, Inc. to oil and gas explorati adquarters, located at 6   | 601 57 <sup>th</sup> Street, SE,<br>Il drilling may be  |                |  |  |
| Quadrangle:<br>Copies of the<br>may be obtain<br>Charleston, V<br>obtained fron                                    | state Erosion and Sediment Contro<br>ned from the Secretary, at the WV I<br>VV 25304 (304-926-0450). Copies<br>the Secretary by visiting www.der   | Generally used farm name:  I Manual and the statutes and rules related Department of Environmental Protection he of such documents or additional informati   | A&B Management, Inc. to oil and gas explorati adquarters, located at 6   | 601 57 <sup>th</sup> Street, SE,<br>Il drilling may be  | D<br>nd Gas    |  |  |
| Quadrangle: Copies of the may be obtain Charleston, Votained fron  | state Erosion and Sediment Controlled from the Secretary, at the WV IVV 25304 (304-926-0450). Copies the Secretary by visiting www.depereby given by:  | Generally used farm name:  I Manual and the statutes and rules related Department of Environmental Protection he of such documents or additional information.  www.gov/oil-and-gas/pages/default.aspx.   | A&B Management, Inc. to oil and gas explorati adquarters, located at 6   | 601 57 <sup>th</sup> Street, SE,<br>il drilling may be<br>RECEIVEI<br>Office of Oil an                      |                |  |  |
| Quadrangle:  Copies of the may be obtain Charleston, Votained from Notice is he Well Operator                      | state Erosion and Sediment Controlled from the Secretary, at the WV IVV 25304 (304-926-0450). Copies the Secretary by visiting www.depereby given by:  | Generally used farm name:  I Manual and the statutes and rules related Department of Environmental Protection he of such documents or additional information.wv.gov/oil-and-gas/pages/default.aspx.  | A&B Management, Inc. to oil and gas explorati adquarters, located at 6 on related to horizonta ad Extension, Suite 300         | 601 57 <sup>th</sup> Street, SE,<br>il drilling may be<br>RECEIVEI<br>Office of Oil an                      | nd Gas<br>2018 |  |  |
| Quadrangle:<br>Copies of the<br>may be obtain<br>Charleston, V<br>obtained from                                    | state Erosion and Sediment Controlled from the Secretary, at the WV IVV 25304 (304-926-0450). Copies the Secretary by visiting www.depareby given by:  are Arsenal Resources   | Generally used farm name:  I Manual and the statutes and rules related Department of Environmental Protection he of such documents or additional information.  News.gov/oil-and-gas/pages/default.aspx.  Address: 6031 Wallace Roa   | A&B Management, Inc. to oil and gas explorati adquarters, located at 6 on related to horizonta ad Extension, Suite 300         | 601 57 <sup>th</sup> Street, SE,<br>il drilling may be<br>RECEIVEI<br>Office of Oil an                      | 2018           |  |  |

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

# Arsenal Resources D'Annunzio HCCP7 Pad Notice of Plat Survey Attachment

# **Mineral Owner**

M.L. Quinn 908 Duff Avenue Clarksburg, WV 26301

Rebecca Jarvis RR1, Box 258F Clarksburg, WV 26301

A & B Management, Inc. / 894 Van Buren Street Clarksburg, WV 26301

RECEIVED
Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection WW-6A5 (1/12)

Operator Well No. D'Annunzie HCCP7 207

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

| Email:   | cflanagan@arsenalresources.com  |  | i acsimile.  | 304-848-9134   |   |
|--|---|--|--|--|---|
| Telephone:   | 724-940-1224  |  | Enginilar  | Wexford, PA 15090<br>304-848-9134  |   |
| Well Operator:   | Tarrest and the second |  | Address:   | - T. 18 (C. S. D. 7.50)  | Extension, Suite 300  |
| This Notice SI<br>Pursuant to We<br>to be provided<br>horizontal well<br>surface affecte<br>information re-<br>headquarters, I<br>gas/pages/defa | hall Include: est Virginia Code § 22-6A-16(c), d by W. Va. Code § 22-6A-10(b) d; and (3) A proposed surface use d by oil and gas operations to the lated to horizontal drilling may be located at 601 57th Street, SE, ult.aspx.  | to a and contained extended to the contained to the conta | surface owner whose<br>ompensation agreeme<br>in the damages are co<br>sined from the Secret<br>leston, WV 25304 | land will be unt containing an<br>ompensable und<br>ary, at the WV<br>(304-926-0450) | code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting |

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information of the contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

JAN 2 2018 WV Department of tion Environmental Protection

OPERATOR WELL NO. See Attached Well Pad Name: D'Annunzo HCCP 7

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: Provided, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

## VOLUNTARY STATEMENT OF NO OBJECTION

| T-15.19 N                  | West Virginia U1   | MNAD 83 Easting:   | See Attached   |  |
|----------------------------|--|--|--|--|
| County:                    | Hamson   | Northing:  | See Attached   |  |
| District:                  |  | blic Road Access:  | State Route 98 A & B Management, LLC                                   |  |
| Quadrangle:<br>Watershed:  | Clarksburg Ge<br>West Fork   | nerally used farm name:  |  |  |
| Please check               | the box that applies   | FOR EXECUT   | ION BY A NATURAL PERSON  |  |
| *Please check              | the box that applies   | FOR EXECUT   | ION BY A NATURAL PERSON  |  |
|                            |  |  |  |  |
| □ SURFAC                   | CE OWNER   | Signature alice  | Padery Maneus  |  |
|                            | CE OWNER CE OWNER (Road and/or Other Disturbance)                                  | Signature: Alice<br>Print Name: A  | Pallery Maneus   |  |
| □ SURFAC                   |  | Signature: Alico<br>Print Name: Al<br>Date: 12                           | Pallery Maneus<br>1125 DARLENG HANCUS<br>7/2017                        |  |
| □ SURFAC                   | E OWNER (Road and/or Other Disturbance)  | Signature: Alico<br>Print Name: Al<br>Date: 12<br>FOR EXECUT<br>Company: | Padera Maneuso LIZE DARLENE HANCUSO 7/2017  ION BY A CORPORATION, ETC. |  |
| □ SURFAC □ SURFAC □ COAL O | E OWNER (Road and/or Other Disturbance) E OWNER (Impoundments/Pits) WNER OR LESSEE | Signature: Alico Print Name: Al Date: 12   FOR EXECUTE Company: By:      | Padera Mancuso LICE DARLENE HANCUSO 7/2017  HON BY A CORPORATION, ETC. |  |
| ☐ SURFAC ☐ SURFAC ☐ COAL O | E OWNER (Road and/or Other Disturbance) E OWNER (Impoundments/Pits) WNER OR LESSEE | Signature: Alico Print Name: Al Date: 12   FOR EXECUTE Company: By:      | Padera Maneuso LIZE DARLENE HANCUSO 7/2017  ION BY A CORPORATION, ETC. |  |

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory needed to comply with statutors. needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6AW

## **Arsenal Resources**

Voluntary Statement of No Objection (Attachment)

Operator Well Number: D'Annunzio HCCP7 201, D'Annunzio HCCP7 202, D'Annunzio HCCP7 203, D'Annunzio HCCP7 204, D'Annunzio HCCP7 205, D'Annunzio HCCP7 206, D'Annunzio HCCP7 207

<u>UTM Coordinate NAD83 Northing</u>: 4345296.076, 4345294.244, 4345292.412, 4345290.580, 4345288.750, 4345286.918, 4345285.086

<u>UTM Coordinate NAD83 Easting</u>: 557259.710, 557262.120, 557264.531, 557266.941, 557269.591, 557272.001, <u>557274.411</u>

Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Proteotion



## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

# **Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jim Justice Governor

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

November 15, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the D'Annunzio HCCP 7 Pad, Harrison County D'Annunzio HCCP 7 207 Well Site

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #07-2017-0978 to Arsenal Resources for access to the well site located off of WV Route 98 in Harrison County. The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dany K. Clayton

Gary K. Clayton Regional Maintenance Engineer

Central Office O&G Coordinator

Cc: Kelly Davis

Arsenal Resources CH, OM, D-4 Office of Oil and Gas

JAN

Department of Environmental Protection

| D'Annunzio HCCP7 - 207 |                     |               |             |  |  |
|------------------------|---------------------|---------------|-------------|--|--|
| FRACTURING ADDITIVES   |                     |               |             |  |  |
|                        | PURPOSE             | TRADE NAME    | CAS#        |  |  |
| Additive #1:           | Friction Reducer    | WFRA-405      | Proprietary |  |  |
| Additive #2:           | Scale Inhibitor     | SI-1000       | 7440-21-3   |  |  |
| Additive #3:           | Biocide             | BIOCLEAR 2000 | 25314-61-8  |  |  |
| Additive #4:           | Gelling Agent       | LGC-15        | 9000-30-0   |  |  |
| Additive #5:           | Corrosion Inhibitor | AI-300        | 111-76-2    |  |  |
| Additive #6:           | Gel Breaker         | AP-One        | 7727-54-0   |  |  |
| Additive #7:           | Acid                | HCI - 7.5%    | 7647-01-0   |  |  |


Office of Oil and Gas

JAN 2 2018

WV Department of Environmental Protection



00000 HICKWAY MAP SCALE



ONE C 3 L'EDULY SYSTEM ONTACTIBLE

VICINITY MAP STALE

INF- PERENTER SE

CONTROLOGISMO SOURS PROPOSONO SENDENCE DE PARCEZ PLATATA DE PROPOSONO SELEMBAS ELLOS HAS ACADA TORIA PROPOSAS TELEBROSAS ALANS REPOSA CARLO DEL REPOSAS ALOREMAN ACESTAN SELEMBAS DE CONTROLOGISMO SENDENCIA DE LOS ACESTAS DEL PROPOSONO CONTROLOGISMO SENDENCIA DEL PROP

# **ARSENAL RESOURCES**

CONSTRUCTION PLANS FOR THE



# **D'ANNUNZIO HCCP-7 WELL PAD**

CLARK DISTRICT, HARRISON COUNTY, WV NOVEMBER 2017

DRP 126 DESECTIONS FROM CLARXSHORD, VA-

#### ARLANDOR EXISTING WELLS

| MEET WAVE | API FUMBER   |
|-----------|--------------|
| Lich      | 47-013 05561 |
| 21474     | 47-013-0556A |
| 3HM       | 47-053-05565 |
| 438M      | 47-033-05565 |

SITE COORDINATES BEGINNING TANK PAD CENTER CENTER N89.264704" M39.262515" N39.254884" W±0.339870" W 80.334857"

WV83-N Longitude WYSE-IN Northing 27663-7780 ft 7782-7738 ft 7782-555-66 ft WYSE-IN Northing 27663-7780 ft 7782-7738 ft 7782-555-66 ft WYSE-IN Northing 24683-780 ft 7782-159-845 ft 1333728-559 ft UTM 83-37 Northing 24683-780 ft 13437-1543.77 054 m UTM 83-37 Roything 24683-780 ft 357382-724 m 55726-326 m

#### SURFACE HOLD COMPRISATES

|                    |                | -              | -             |               |                | - 15-          |                |
|--------------------|----------------|----------------|---------------|---------------|----------------|----------------|----------------|
| Well Number        | 201            | 202            | 203           | 204           | 205            | 206            | 207            |
| WV83-N Latituda    | N39,255103*    | N38,255086*    | N31.155069*   | N39.255053*   | N 39.255035*   | N 39.255019"   | N 39 25 5003*  |
| WVB3-N Langitude   | W 80336353*    | W 80.336325*   | W 60.315297*  | W 80.336269*  | W 80,538239"   | W 80.335211"   | W 80.335183*   |
| WVE3-N Northing    | 1731571.142 ft | 1731679.087 ft | 1731687.032 5 | 1781694.9081  | 1731702.913 ft | 1/31710.868 #  | 1731718.814 ft |
| WV#3-N Fasting     | 276131.255 ft  | 276121.184 h   | 276119,111 ft | 276113.039 R  | 276106.967 ft  | 276100.855 ft  | 276094,884 /1  |
| UTM 33-17 Northing | 4345296.076 m  | 4345234.244 m  | 4945292.412 m | 4345290.530 m | 4345288,750 m  | 4345286.918 m  | 4345285.DBS m  |
| LRTM 83-17 Easting |                |                |               |               |                | \$\$7272.001 m |                |

LUSTRONAUT ALIMPOCTS ESSTURBASCE SUMMARY MANUFACTURE PROBLEM PR 1.7 1617 6.60 0.70 6.60 0.12 PROJECT LOCATION



"ILT BRESSESS GOLDENSESS

### A . # 10 S (\* 14 ) A PRESENT A . 400 B (B . 10 ) | 2 (56 ) B ( 20) FIAM votes to strong 4 to

THE INFORMATION CONTINUES MINERS IN THE SUITE PROMITTY OF THE TRANSPER SPECE. BIG. REPRODUCTION OF THESE SOCIENCES IN WALE OF MINERS WITHOUT PRODUCTION OF THE SERVICE OF T

| -      | SHEP USIN N  |
|--------|--|
| 300 20 | 28-SCW (FOS  |
|        | Officiality  |
| 7      | 24C103013091 v100 %  |
| F      | 11612 3 41 6 1211 25 2   |
| 1.11   | WHITE PART OF INCUINGING A PROPERTY OF THE PARTY OF THE P |
|        | V:11 2V9 - VV  |
| 14     | WOLL BUILDING TO STUDIOS   |
| Tiel.  | TANK PARTITION OF STREET HEAVING THE   |
| 15     | FREEPVIERS   |
| 150    | LANGER AREDOLF & SECTION   |
| 211    | STOP TOPOL COSTS   |
| 34     | SERVICE PROPERTY AND STORY   |
| 22     | NOTE & PROCEEDS AND  |
| 2.7    | MOULEUT TRACTED ASSESSED   |
| 25     | O'THE GARDERS AVEC   |
| 3.5    | THE PROPERTY AND LAND  |
| 2.4    | ACCOUNT OF THE PROPERTY OF THE   |
| 1      | THE CANDON CONTROL OF VE   |
| 250    | TA THARDER TARRONS A   |
| .41    | MENERAL NOTE:  |
| 34     | DEFENDENCES  |
| 11-17  | CYCHE ST SEPTEMBER   |
| 11.74  | In 1 C 5   |

11/16/2017



M APPROVENDES PERMITS DATE HUSTY PAY HEYE DATE TO APPROVED THE RID UPROVED FOR CONSTRUCTION BATE

| SHEETS | BY                | DATE      | DESCRIPTION    |                            |
|--------|-------------------|-----------|----------------|----------------------------|
|        |                   |           |                |                            |
|        |                   |           |                |                            |
|        |                   |           |                |                            |
|        |                   |           |                |                            |
|        |                   |           |                |                            |
|        | REMISED<br>SHEETS | REMSED BY | REMSED BY DATE | REMORD BY DATE DESCRIPTION |

THE DECAMED PROOF BY 500 WHITE DAKS BOULEVARD - BRIDGEPORT, WV 26330 PHONE (304) 524-4108 • FAX (304) 624-7831